

National Aeronautics and
Space Administration

John H. Glenn Research Center
Lewis Field
Cleveland, OH 44135-3191



25 September 2019

Reply to Attn of: GRC-CO

Arizona State University
660 South Mill Avenue
Tempe, Arizona 85281
CAGECode: 4B293

SUBJECT: 2019 Property Management Systems Analysis (PMSA)

Dear: Mr. Botiller,

This letter provides the findings and conclusions of the recent Government property management system analysis recently conducted at Arizona State University by DCMA Property Administrator, Mr. Rudolph Lewis. The purpose of this review was to ensure that Arizona State University's property management system complies with the provisions of Federal Acquisition Regulation 52.245-1, as well as other contractual requirements.

Based on the results of our system analysis, DCMA has determined Arizona State University's Government Property Management system to be adequate and that it substantially meets contractual requirements. Although Arizona State University's system is considered approved, please be advised that the U.S. Government is not precluded from questioning issues or costs notwithstanding the results of this review.

If you have any questions, please feel free to contact Mr. Rudolph Lewis, DCMA Western (USA) rudolph.lewis.civ@mail.mil directly at (602)594-7905 or myself at 216-433-5267; @nasa.gov.

Sincerely,

Kimberly Y. Hill
Contracting Officer

